



| Brand          | Generic   | Location | Use   |
|----------------|---|----------|---|
| Advocin        | danofloxacin  |          | control and treatment of bovine respiratory disease (BRD) in beef cattle late in the feeding period.  |
| Arovyn         | tulathromycin                                       |          | treats and controls pinkeye, foot rot and bovine respiratory disease  |
| Bactracillin G | penicillin g procaine                               | fridge   | bacterial pneumonia (shipping fever) caused by <i>Pasteurella multocida</i> in cattle and sheep, erysipelas caused by <i>Erysipelothrix rhusiopathiae</i> in swine, and strangles caused by <i>Streptococcus equi</i> in horses   |
| Banamine       | flunixin  |          | help manage clinical signs of pain, swelling, and/or fever  |
| Baytril        | enrofloxacin  |          | bovine respiratory disease (BRD)  |
| BO-SE          | selenium, vitamin E                                 |          | prevention and treatment of white muscle disease (Selenium-Tocopherol Deficiency) syndrome in calves, lambs, and ewes   |
| Cal Dex CMPK   | Calcium, magnesium, Phosphorus, Potassium, Dextrose |          | aid in the treatment of conditions associated with calcium, magnesium, phosphorus, potassium and glucose deficiencies   |
| Cystorelin     |   | fridge   | treatment of ovarian follicular cysts in dairy cattle   |
| Dexasone       | dexamethasone                                       |          | treatment of primary bovine ketosis and as an anti-inflammatory agent in the bovine and equine  |
| Draxxin        | tulathromycin                                       |          | treats and controls pinkeye, foot rot and bovine respiratory disease (pneumonia)  |
| Draxxin KP     | tulathromycin, ketoprofen                           |          | treats and controls pinkeye, foot rot and bovine respiratory disease (pneumonia), also includes an anti-inflammatory  |
| Enroflox       | enrofloxacin  |          | infections of the respiratory (BRD) and alimentary tract  |
| Estrumate      | cloprostenol  |          | improves reproductive performance in dairy and beef cattle and can help manage heat detection, breeding and more  |
| Excede         | ceftiofur   |          | treatment of bovine respiratory disease (BRD, shipping fever, pneumonia)  |
| FerAppease     | maternal bovine appeasing substance                 |          | can and should be used every time animals are exposed to management and physiological stressors, where suppression of threat perception is desirable ( <i>i.e.</i> castration, dehorning, weaning, vaccination, parturition, breeding, etc.). For use only in healthy cattle by topical administration to the nuchal skin and the skin above the muzzle. Non Rx |

|                  |                                   |        |  |
|------------------|-----------------------------------|--------|--|
| Fertagyl         | gonadorelin                       | fridge | improves reproductive efficiency in dairy cows, specifically by synchronizing estrous cycles and treating cystic ovaries   |
| Flunazine        | flunixin                          |        | help manage clinical signs of pain, swelling, and/or fever   |
| Flu-nix          | flunixin                          |        | control of pyrexia (fever) associated with bovine respiratory disease, endotoxemia and acute bovine mastitis   |
| LongRange        | eprinomectin                      |        | internal and extrnal parasites   |
| Lutalyse         | dinoprost                         |        | a prostaglandin product used to control the timing of estrus and ovulation in estrous cattle that have a corpus luteum, and for the treatment of pyometra (chronic endometritis)   |
| Macrosyn         | tulathromycin                     |        | treats and controls pinkeye, foot rot and bovine respiratory disease (pneumonia)   |
| Multimin         | selenium, manganese, copper, zinc |        | vitamin deficiencies   |
| Neovet           | neomycin                          |        | For the treatment and control of colibacillosis (bacterial enteritis) caused by Escherichia coli   |
| Norfenicol       | florfenicol                       |        | treatment of bovine respiratory disease (BRD) and for the treatment of bovine interdigital phlegmon (foot rot, acute interdigital necrobacillosis, infectious pododermatitis). Also, it is indicated for the control of respiratory disease in cattle at high risk of developing BRD |
| Norocillin       | penicillin g procaine             | fridge | treatment of bacterial pneumonia (shipping fever) in cattle and sheep, erysipelas (skin infection) in swine, and strangles (bacterial disease characterized by swelling of the lymph nodes and the formation of abscesses, primarily in the head and neck) in horses                 |
| Noromycin 300 LA | oxytetracycline                   |        | an effective, broad-spectrum and economical antibiotic for seasonal diseases in beef cattle, non-lactating dairy cattle and swine (pink eye, foot rot, scours [diarrhea], wooden tongue, wound inections, BRD)   |
| Nuflor           | florfenicol                       |        | treatment of bovine respiratory disease (BRD) and for the treatment of bovine interdigital phlegmon (foot rot, acute interdigital necrobacillosis, infectious pododermatitis). Also, it is indicated for the control of respiratory disease in cattle at high risk of developing BRD |
| Re-covr          | tripelennamine                    |        | antihistamine  |
| Resflor          | florfenicol, flunixin             |        | BRD (also contains flunixin which is an anti-inflammatory/antipyretic)   |
| Salix            | furosemide                        |        | treatment of peripheral edema, (pulmonary congestion, ascites) associated with cardiac insufficiency and acute noninflammatory tissue edema. It is an effective diuretic possessing a wide therapeutic range   |
| Spectogard       | spectinomycin                     |        | BRD  |
| TerraVet 200     | oxytetracycline                   |        | bacterial enteritis (scours, colibacillosis); pneumonia; and leptospirosis   |

|                      |                        |  |  |
|----------------------|------------------------|--|--|
| Thiamine (B1)        | thiamine               |  | beneficial effects in dairy cows, such as increased milk and component production and attenuated SARA by improving rumen fermentation (a process that converts ingested feed into energy sources for the host) |
| ToDay                | cephapirin             |  | provides control against mastitis-causing pathogens  |
| Tylan                | tylosin                |  | respiratory and genito-urinary tract infections, otitis, cellulitis and secondary bacterial conditions associated with virus disease or post operative infections  |
| Vacasan              | tulathromycin          |  | treats and controls pinkeye, foot rot and bovine respiratory disease (pneumonia)   |
| Valcor               | doramectin, levamisole |  | internal and external parasites (dewormer)   |
| Vetameg              | flunixin               |  | help manage clinical signs of pain, swelling, and/or fever   |
| Vita Jec B12 3000mcg | B12 (cyanocobalamin)   |  | B12 deficiency   |
| Vitamin B12          | cyanocobalamin         |  | B12 deficiency   |
| Zuprevo              | tildipirosin           |  | BRD  |